EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	16	(attack$3 intrusion hack $3) same ((reset $3 re-set$3 restart$3 re-start $3 set$3) with clock$3 with ("0" zero null $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:13
L3	585	((attack$3 intrusion hack $3) and ((reset $3 re-set$3 restart$3 re-start $3 set$3) with clock$3 with ("0" zero null $3))) not L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:18
L5	99	L3 and ("711"/$. ccls. "709"/$. ccls. "726"/$. ccls. "713"/$. ccls. "380"/$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:19
L6	33	L3 and (DRM (right adj manag $3) (usage near2 control $3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 14:20
L7	1	L3 and (713/600-601.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:34

L8	0	(license DRM (digital adj rights)) with (vault) and (((reset$3 re-set $3 restart$3 re-start$3 set$3) with clock$3 with ("0" zero null$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 15:49
L9	7	(tamper adj (proof resistan $3)) with ((digital $3 adj right$3) DRM (right$3 near3 manag $8)) and (((reset $3 re-set$3 restart$3 re-start $3 set$3) with clock$3 with ("0" zero null $3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/02 15:50
L13	5	L3 and (726/23,26.ccls. 713/194.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 16:04

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	0	((buried near1 nucleus) and (matrix near1 multipl$3) and (trust $3 near1 authorit $3) and vault and (generat$ near3 secure near2 protocol) and (inaccessible near3 inspect$) and ((decrypt$ decipher $) near2 key) and (suspend$3 near2 operation) and	USPAT; UPAD	OR	ON	2009/12/02 16:05

		(rebuild$3 near4 environment) and (intrusion) and (reset$4 near3 clock near2 ("0" zero)) and (replication) and attacker).clm. and (726/23,26.ccls. 713/194.ccls.)				
L15	0	((buried near1 nucleus) (tamper adj (proof resistant resistance)) and (matrix near1 multipl$3) and (trust $3 near1 authorit $3) and vault and (generat$ near3 secure near2 protocol) and (inaccessible near3 inspect$) and ((decrypt$ decipher $) near2 key) and (suspend$3 near2 operation) and (rebuild$3 near4 environment) and (intrusion) and (reset$4 near3 clock near2 ("0" zero)) and (replication) and attacker).clm.	USPAT; UPAD	OR	ON	2009/12/02 16:06
L16	0	((buried near1 nucleus) (tamper adj (proof resistant resistance)) and (matrix near1 multipl$3) and (trust $3 near1 authorit $3) and vault and (generat$ near3 secure near2 protocol) and (inaccessible near3 inspect$) and ((decrypt$ decipher $) near2 key) and	USPAT; UPAD	OR	ON	2009/12/02 16:06

	(suspend$3 near2 operation) and (rebuild$3 near4 environment) and (intrusion) and (reset$4 near3 clock near2 ("0" zero)) and (replication) and attacker).clm. and (726/23,26.ccls. 713/194.ccls.)				

12/2/09 4:11:41 PM
H:\ 10635015_buriednucleus.wsp